


Cylindrical Roller Bearing



Designations		Dimensions			Weight (kg)
New code	Old code	d	D	B	
365083	365083	177.9	247.7	83	13
3132752	3132752	260	440	144	94
92740M	92740M	200	280	80	16
928/660.4M	928/660.4	660.4	812.8	107.95	130
B6460	B6460	152.4	206.55	53.975	5.48
N1080M	2180	400	600	90	94
N2040M	N2040M	200	310	66	20
N226M	2226	130	230	40	7.08
N228M	2228	140	250	42	9.14
N230M	2230	150	270	45	11.6
N2326M	2626	130	280	93	29
N2340M	2640	200	420	138	94.5
N234M	2234	170	310	52	18.2
N248M	2248	240	440	72	47
N319EM	2319E	95	200	45	6.67
N320M	2320	100	215	47	8.7
N321M	2321	105	225	49	10.5
N322EM	2322E	110	240	50	11.4
N322M	2322	110	240	50	11.4
N324M	2324	120	260	55	15.1
N326M	2326	130	280	58	17.8
N328M	2328	140	300	62	21.9
N330M	2330	150	320	65	26.5
N332M	2332	160	340	68	30.8
N334M	2334	170	360	72	37.3
N6/101.6M	N6/101.6M	101.6	184.15	31.75	3.9
N6/107.95M(CRL34)	N6/107.95M(CRL34)	107.95	190.5	31.75	4.1
N6/114.3M	N6/114.3M	114.3	203.2	33.337	4.9
N6/114.3M-1(CRL36)	N6/114.3M-1(CRL36)	114.3	238.125	50.8	11
N6/127M	N6/127M	127	228.6	34.925	6.7
N6/127M-1CRM40	N6/127M-1CRM40	127	254	50.8	12.5
N6/620EM	N3/620EMX3	620	760	60	60
NCF18/600V	NCF18/600V	600	730	60	50.6
NCF18/670V	NCF18/670V	670	820	69	75
NCF28/600V	NCF28/600V	600	730	78	67.2
NCF2944V	NCF2944V	220	300	48	10
NCF2948V	NCF2948V	240	320	48	10.4
NCF3040V	NCF3040V	200	310	82	22
NCF3064V	NCF3064V	320	480	121	71

NF1992MA	NF1992MA	460	620	74	67.5
NF228EM1	NF228EM1	140	250	42	9.3
NF3320ZD (5E3012320Q)	NF3320ZD (5E3012320Q)	140	250	42	15.8
NF332M	NF332M	160	340	68	30.9
NJ10/500M	NJ10/500	500	720	100	137.5
NJ1024M	42124	120	180	28	3.09
NJ1026M	42126	130	200	33	3.82
NJ1028M	42128	140	210	33	4
NJ1030M	42130	150	225	35	5.05
NJ1032M	42132	160	240	38	6.13
NJ1034M	42134	170	260	42	8.47
NJ1036M	42136	180	280	46	10.6
NJ1038M	42138	190	290	46	10.9
NJ1040M	42140	200	310	51	14.7
NJ1044M	42144	220	340	56	19.6
NJ1048M	42148	240	360	56	21.1
NJ1052M	42152	260	400	65	31
NJ1056M	42156	280	420	65	32.2
NJ1060M	42160	300	460	74	45.1
NJ1064M	42164	320	480	74	47.8
NJ1068M	42168	340	520	82	66.5
NJ1072M	42172	360	540	82	67
NJ1076M	42176	380	560	82	73
NJ1080M	42180	400	600	90	92.5
NJ1084M	42184	420	620	90	93.3
NJ220EM	42220	100	180	34	4
NJ2220M	42520	100	180	46	5.86
NJ2224EM	42524E	120	215	58	9.15
NJ2228M	42528	140	250	68	14.8
NJ222EM	42222	110	200	38	5.1
NJ222EM1	42222	110	200	38	5.1
NJ2232M	42532	160	290	80	25.8
NJ2238M	42538	190	340	92	39.6
NJ2240M	42540	200	360	98	45.5
NJ2244M	42544	220	400	108	63.3
NJ224M	42224	120	215	40	6.5
NJ226EM	42226	130	230	40	7.38
NJ228M	42228	140	250	42	9.38
NJ230M	42230	150	270	45	12
NJ2317M	42617	85	180	60	8.69
NJ2319M	42619	95	200	80	10.2
NJ2320EM1	42620	100	215	86	13.5
NJ2320M	42620	100	215	86	13.5
NJ2322M	42622	110	240	80	19
NJ2324M	42624	120	260	100	24.6
NJ2326M	42626	130	280	107	29
NJ2328M	42628	140	300	117	34.8
NJ232EMA	42232	160	290	48	15
NJ232M	42232	160	290	48	15
NJ2330M	42630	150	320	108	42.4
NJ2332M	42632	160	340	114	54.4
NJ2334M	42634	170	360	120	61.5
NJ2334M/YA8-1	42634	170	360	120	61.5
NJ2336M	42636	180	380	126	71
NJ2338M	42638	190	400	132	84.3

NJ234M	42234	170	310	52/86	19.2
NJ236EM	42236	180	320	52	19.3
NJ236EM1	42236	180	320	52	19.3
NJ236M	42236	180	320	52	19.3
NJ238EM1	42238	190	340	55	22
NJ238M	42238	190	340	55	22
NJ240EM	42240	200	360	58	27.1
NJ240EM1	42240	200	360	58	27.1
NJ240M	42240	200	360	58	27.1
NJ244EM	42244	220	400	65	38.6
NJ244EM1	42244	220	400	65	39
NJ244M	42244	220	400	65	38
NJ248EM1	42248	240	440	72	48
NJ248M	42248	240	440	72	48
NJ260M	42260	300	540	85	90
NJ29/500M	20429/500	500	670	100	110
NJ29/560M	NJ29/560	560	750	112	141
NJ29/600X2M	NJ29/600X2M	600	800	120	178.8
NJ2984M	NJ2984	420	560	82	58.3
NJ2992M	2042992	460	620	95	85
NJ320EM	42320	100	215	47	8.8
NJ322M	42322	110	240	50	11.6
NJ324EM1	42324	120	260	55	16
NJ324M	42324	120	260	55	16
NJ326M	42326	130	280	58	17.9
NJ328M	42328	140	300	62	22.6
NJ330M	42330	150	320	65	26.6
NJ332M	42332	160	340	68	30.9
NJ334M	42334	170	360	72	37.7
NJ336M	42336	180	380	75	43
NJ338M	42338	190	400	78	49.4
NJ340M	42340	200	420	80	63
NJ38/1120M/HG2	NJ38/1120M/HG2	1120	1360	180	550
NJ422M	42422	105	260	60	22.3
NJ424M	42424	120	310	72	29.7
NJ424EM1	NJ424EM1	120	310	72	29.7
NJ424M/YA8-1	NJ424M/YA8-1	120	310	72	29.7
NJ426M	42426	130	340	78	40
NJ428M	42428	140	360	82	46.3
NJ428M1	42428	140	360	82	46.3
NJ428M/YA8-1	NJ428M/YA8-1	140	360	82	46.3
NJP234M	NJP234M	170	310	52/86	19.2
NJP236M	NJP236M	180	320	52	19.3
NN30/560KM/P6W33	NN30/560KM/P6W33	560	820	195	333
NN30/560KM/W33	NN30/560KM/W33	560	820	195	333
NN30/600K/W33	NN30/600K/W33	600	870	200	403
NN3024KM	NN3024KM	120	180	46	4.02
NN3026KM	NN3026KM	130	200	52	5.88
NN3028KM	3182128	140	210	53	7
NN3030KM	3182130	150	225	56	7.8
NN3036/W33	3182136	180	280	74	16.9
NN3040M	3282140	200	310	82	22.1
NN3048KM	3182148	240	360	92	32.7
NN3056M	3282156	280	420	106	49.7
NN3060KM	3182160	300	460	118	76.2

NN3072KM	3182172	360	540	134	105
NN3076KM	3182176	380	560	135	110
NN39/560M	NN39/560	560	750	140	173
NN4948M	NN4948M	240	320	80	18
NN4964/W33	NN4964	320	440	118	54.9
NN4968/W33	NN4968	340	460	118	55
NNCF5038V	NNCF5038V	190	290	136	31.5
NNCL4872/W33X	NNCL4872/W33X	360	440	80	27
NNCL4992V/W33X	NNCL4992V/W33X	460	620	160	138
NNU30/600M	NNU30/600M	600	870	200	403
NNU3284X2/W33X/HG2	NNU3284X2/W33X/HG2	420	760	280	562
NNU40/500M	NNU40/500M	500	720	218	287
NNU40/560M	NNU40/560M	560	820	258	460
NNU4080M/W33	NNU4080M/W33	400	600	200	199
NNU4084M	NNU4084M	420	620	200	208
NNU4092M	NNU4092M	460	680	218	269
NNU4096M	NNU4096M	480	700	218	284
NNU4152M	NNU4152	260	440	180	111.4
NNU4156M	NNU4156	280	460	180	118
NNU4164M	NNU4164	320	540	218	206
NNU4172M	NNU4172	360	600	243	275
NNU4180M	NNU4180	400	650	250	319
NNU4844	NNU4844	220	270	50	6.25
NNU4848	NNU4848	240	300	60	10
NNU49/500M	NNU49/500M	500	670	170	176
NNU49/600M	NNU49/600M	600	800	200	293
NNU4944MX2/W33	NNU4944MX2/W33	220	300	112	22.3
NNU4944MX2/W33-B	NNU4944MX2/W33-B	212	300	112	25
NNU4948M/C3W33	NNU4948M/C3W33	240	320	80	18
NNU4960M	NNU4960	300	420	118	53
NNU4984X1M	NN4984	420	560	140	100
NNUP4880X2MYA	NNUP4880X2MYA	400	500	117	54
NNUP6/750M	NNUP6/750M	750	810	50	23
NU10/500M	321/500	500	720	100	140
NU10/560MA	NU10/560MA	560	820	115	201
NU1026M	NU1026M	130	200	33	3.82
NU1028M	32128	140	210	33	3.89
NU1030M	32130	150	225	35	4.94
NU1032M	32132	160	240	38	5.96
NU1036M	32136	180	280	46	10.4
NU1038M	32138	190	290	46	10.9
NU1040M	32140	200	310	51	14.3
NU1044M	32144	220	340	56	19.2
NU1048M	32148	240	360	56	20.5
NU1052M	32152	260	400	65	30.2
NU1056M	32156	280	420	65	30.9
NU1060M	32160	300	460	74	44.1
NU1064M	32164	320	480	74	46.3
NU1068M	32168	340	520	82	65
NU1076M	32176	380	560	82	71
NU1084M	32184	420	620	90	91
NU1088M	32188	440	650	94	102
NU1092M	32192	460	680	100	111
NU19/500MA	NU19/500MA	500	670	78	74.3
NU19/500MA+HJ19/500	NU19/500MA+HJ19/500	500	670	78	74.3

NU19/670M	NU19/670M	670	900	103	193
NU1950M	NU1950F	250	330.5	38	10
NU1956M	NU1956M	280	380	46	15.7
NU1968MA	NU1968MA	340	460	56	26
NU1988MA	NU1988MA	440	600	74	63
NU1996MA	NU1996MA	480	650	78	72.5
NU1996MA+HJ1996	NU1996MA	480	650	78	72.5
NU2060MA	NU2060MA	300	460	95	59.5
NU2222EM		110	200	53	7.4
NU2224M	32524	120	215	58	9.31
NU2226M	32526	130	230	64	11.8
NU2228M	32528	140	250	68	14.4
NU222M	32222	110	200	38	5.05
NU2230M	32530	150	270	73	19
NU2230ME	32530	150	270	73	19
NU2232EM1A	32532	160	290	80	24.2
NU2232EMA/C3	32532	160	290	80	24.2
NU2232M	32532	160	290	80	24.2
NU2234M	32534	170	310	86	29
NU2236M	32536	180	320	86	31
NU2238M	32538	190	340	92	38.6
NU2240EM	32540	200	360	98	42.2
NU2244M	32544	220	400	108	62.2
NU2248M	32548	240	440	120	83.3
NU224M	32224	120	215	40	6.27
NU2252M	32552	260	480	130	106
NU226M	32226	130	230	40	7.22
NU228M	32228	140	250	42	9.16
NU230M	32230	150	270	45	11.8
NU2319M	32619	95	200	80	10.2
NU2320M	32620	100	215	86	12.7
NU2322M	32622	110	240	80	17.6
NU2324M	32624	120	260	100	23.1
NU2324M+HJ2324	NU2324M+HJ2324	120	260	86	22.5
NU2326M	32626	130	280	107	28.7
NU2328EM	32628	140	300	117	35.8
NU2328M	32628	140	300	102	33.6
NU232M	32232	160	290	48	14.4
NU2330M	32630	150	320	108	41.5
NU2330X2EMYA8-1+HJ2330	NU2330X2EMYA8-1+HJ2330	150	320	114	51
NU2332M	32632	160	340	114	54.4
NU2334M	32634	170	360	120	61.1
NU2336M	32636	180	380	126	69.5
NU2340EM	32640	200	420	138	96.5
NU2344EM	32644	220	460	145	114
NU2348M	32648	240	500	155	150
NU234M	32234	170	310	52	17.9
NU2352M	32672	260	540	165	184
NU2352M1	32672	260	540	165	184
NU236M	32236	180	320	52	19.2
NU2372M	32672	360	750	224	480
NU238M	32238	190	340	55	21.6
NU240M	32240	200	360	58	26.5
NU244M	32244	220	400	65	38
NU248M	32248	240	440	72	46.9

NU252EM	32252	260	480	80	68
NU252M	32252	260	480	80	69
NU256EM	32256	280	500	80	71
NU260M/YA8	32260	300	540	85	88
NU264M/YA8	32264	320	580	92	110
NU2936M	2032936	180	250	42	6.36
NU2944M	2032944	220	300	48	10.5
NU3068M	3032168	340	520	133	104
NU3084M	3032184	420	620	150	160
NU31/530KMA/HV2S1	NU31/530KMA/HV2S1	530	870	272	689
NU3184M	NU3184M	420	700	224	378
NU3188F3	NU3188F3	440	720	226	395
NU3188M	NU3188M	440	720	226	395
NU3192M	3032792	460	760	240	450
NU3196M	3032796	480	790	248	500
NU320EM	32320	100	215	47	8.8
NU321M	32321	105	225	49	10.1
NU3221M		150	190	65.1	8.4
NU3224M		120	215	76	12.4
NU322M	32322	110	240	50	11.6
NU324EM	32324	120	260	55	16
NU324M	32324	120	260	55	16
NU326M	32326	130	280	58	17.9
NU328EM	32328	140	300	62	22.2
NU328M	32328	140	300	62	22.2
NU330EM	32330	150	320	65	26.6
NU330M	32330	150	320	65	26.6
NU332EM1	32332	160	340	68	30.9
NU332M	32332	160	340	68	30.9
NU332MA	32332	160	340	68	30.9
NU334M	32334	170	360	72	37.7
NU336M	32336	180	380	75	43
NU338M	32338	190	400	78	48.5
NU340EM	32340	200	420	80	63
NU344M	32344	220	460	88	73.4
NU352M/YA8	32352	260	540	102	116
NU360M/YA8	32360	300	620	109	166
NU3852MAWB	NU3852MAWB	260	320	45	8
NU422M	32422	105	260	60	22.3
NU422ME	32422	105	260	60	22.3
NU424M	32424	120	310	72	29.1
NU426M	32426	130	340	78	40
NU428EM	32428	140	360	82	46
NUP19/710M	10929/710	710	950	106	223
NUP2232M	92532	160	290	80	24.2
NUP230M	NUP230M	150	270	45	11.8
NUP232M	NUP232M	160	290	48	14.4
NUP2334M	NUP2334M	170	360	120	61.1
NUP234M	NUP234M	170	310	52	17.9
NUP236M	NUP236M	180	320	52	19.2
NUP240M	NUP240M	200	360	58	26.5
NUP244M	NUP244M	220	400	65	38
NUP248M	NUP248M	240	440	72	46.9
NUP252M	NUP252M	260	480	80	69
NNP50/500X3YA (BC2-8008HB1)	NNP50/500X3YA (BC2-8008HB1)	500	730	305	442

NURT130Lg (无架)	NURT130Lg (无架)	130	250	103	27
NURT130Lg (无架)	NURT130Lg (无架)	130	250	103	27
SL01.4892	SL01.4892	460	580	118	71.2
SL02.4892	SL02.4892	460	580	118	71.4
SL01.4896	SL01.4896	480	600	118	78.4
SL02.4896	SL02.4896	480	600	118	78.4
SL01.4920	SL01.4920	100	140	40	4
SL01.4930	SL01.4930	150	210	60	6.64
SL014972V (NNC4972V)	SL014972V (NNC4972V)	360	480	118	60.5
SL05 49/895	SL05 49/895	895	1200	240	799
SL06 49/895	SL06 49/895	895	1200	240	807
SL181876V	NCF1876	380	480	46	22
SL181880V	NCF1880	400	500	46	23
SL1829/500B	SL1829/500B	500	670	100	98.5
SL1829/710C3	SL1829/710C3	710	950	140	274
SL182976	NCF2976V	380	520	82	57
SL182980	NCF2980V	400	540	82	60
SL182988	NCF2988V	440	600	95	78.6
SL182992	NCF2992V	460	620	95	90.5
SL192322	SL192322	110	240	80	17
01B 100M GR	01B 100M GR	100	174.62	81/45.3	8
01B 100M EX	01B 100M EX	100	174.62	81/45.3	8
01B 200M GR	01B 200M GR	200	311.15	109/60.3	28
01B 200M EX	01B 200M EX	200	311.15	109/60.3	28